



Terms & Conditions: These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturer reserve the right to vary their specification, including colours, with or without notice at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult the Dealer with whom your order is placed for details of the specification of any particular product. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from him on request.

PATROL RANGE



PATROL 600/660/760/860




Commercial quality RIBs

The Patrol boats have Highfields all new variable deadrise "compound" hull, made from super high tensile marine grade aluminium plate. The entire hull is CNC cut then jig welded giving a very strong stiff hull that is almost indestructible even in emergency use. The compound design offers a super deep V in the lower section for softness of ride then graduates into a more moderate deadrise to enhance handling and load carrying. Overall it requires less power to drive and is softer riding, better handling and dryer than virtually anything in its class. On top of all that it is light enough to be towed by most smaller SUVs.

The hulls are built in 4mm (660) and 5mm (760 and 860) 5083 aluminium plates with 6 and 10mm stringers. These boats are ideal pursuit craft or work boat and can be configured with different seating and console options. When safety, toughness and reliability matter the Patrol range will be your first choice. With the impermeable qualities of our aluminium hulls there's no need to worry about gelcoat chips, or putting the boat on a beach or a trailer. Your Highfield Patrol won't delaminate over time, retaining its agile performance and weighing the same in 10 years time as the day you towed it away from the showroom.

Model	Length (A)	Beam (B)	Inside Length (C)	Inside width (D)	Weight*	Deadrise (E)	Max Pax	Max Load	Max Hp	Shaft	Tube Ø	Airight Chambers	Fuel Tank
PA 600	600cm	19'7"	249cm	8'2"	440cm 14'4"	127cm 4'2"	580kg 1279lb	26°	12	1100kg 2426lb	150	XL 56cm 22"	6 140L
PA 660	654cm	21'5"	249cm	8'2"	483cm 15'9"	127cm 4'2"	650kg 1433lb	26°	13	1170kg 2580lb	200	XL 56cm 22"	6 150L
PA 760	760cm	24'9"	283cm	9'3"	592cm 19'4"	163cm 5'4"	850kg 1874lb	26°	16	2029kg 4474lb	300	XL 56cm 22"	6 285L
PA 860	863cm	28'3"	292cm	9'6"	692cm 22'7"	175cm 5'7"	1200kg 2646lb	24°	20	2000kg 4410lb	2x250	XL 56cm 22"	6 470L

*includes console, bolster seat and rollbar



Standard equipment

- DRCA® Hypalon tube fabric
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Mooring bollard
- Integrated rear seat
- Engine well
- Standup console
- Bolster seat
- Bow locker with seat cushion
- Lifting points and towing eyes
- Anti-slip deck
- Heavy duty rubbing strake
- Full length keel guard
- Highfield dry bag
- Foot pump, paddles, repair kit

Optional equipment

- Jockey seat
- Suspension jockey seat
- Rollbar
- Hard top
- EVA teak

Patrol 860





Patrol 760



Patrol 660



Patrol 860



Patrol 660